

Memo 4C-3/204

To: Distribution
From: H.D. Lemmel *Lemmel*
Subject: Comments on TRANS 4026

6 April 1977

This TRANS tape was dated 76/06/07. However we received it only end of March 1977. It would be essential to investigate the origin of the delay and to avoid similar delays in future.

We had no difficulties to process this tape. The check program found the following errors:

In subentry 40305.004 there are some errors in the data table:

N2 in DATA record is wrong
line 2025: energy value out of place
line 2508: comma should be point
line 2912: same

Subentry 40327.004 line 7:

STAND-ER should read STAND-ERR

Subentry 40331.005 line 3:

34-SE-180 should probably read 34-SE-80

Subentry 40331.007 line 7:

-ER-ERR should read -EN-ERR

Subentry 40332.001: N1 in BIB-record is wrong

Subentry 40337.001: Keyword RART-DET should read PART-DET

Subentry 40339.001: under COMMON EN-NORM should read EN-NRM

Subentry 40361.002 line 35: decimal point missing

Clearance: J.J. Schmidt

Distribution

S. Pearlstein (NNCSC)
H. Derrien (CCDN)
V. Manokhin (CJD)

| | |
|-------------|--------------|
| P. Atree | J.J. Schmidt |
| G. Lammer | O. Schwerer |
| H.D. Lemmel | P. Smith |
| R. Lessler | R. Yaghubian |
| A. Lorenz | file |
| K. Okamoto | |

for *J. J. Schmidt*