

Memo 4C-3/211

1977-10-06

To: Distribution

From: H. D. Lemmel *Lemmel*

Subject: 1) Errors in TRANS 4029 dated 770630
2) New data-heading codes

- 1) We acknowledge the receipt of TRANS 4029. However, we cannot process it without a large number of corrections. A list of disturbing errors is attached. This list includes only those of the errors found which must be corrected before the TRANS tape can be processed. May we ask CJD for a retransmission of this TRANS tape after all these corrections have been performed.

Since the data included seem to be important we should appreciate it if the corrections and retransmission were given high priority.

- 2) Subentry 40294.009 contains the data-headings ~~+EN-RES-ERR~~ and ~~-EN-RES-ERR~~. There seems to be a need for these headings, however they must not exceed a length of 10 characters. Thus I would suggest

~~+EN-RES-ER~~ and ~~-EN-RES-ER~~

and will add these codes to Dictionary 24 unless an objection is received in due time.

Clearance: J.J. Schmidt *W. Schmidt*

Distribution:

S. Pearlstein, NNDC
H. Derrien, NDCC
V.N. Manokhin, CJD

P.M. Attree
G. Lammer
H.D. Lemmel
R. Lessler
A. Lorenz
K. Okamoto

J.J. Schmidt
O. Schwerer
P.M. Smith
3 spare copies

List of disturbing errors in TRANS 4029
(excluding a number of less serious errors)

40151.002 NOCOMMON misspelt

40294.001 lab-code misspelt
ERR-ANALYS misspelt

.002 line 52 col.1 invalid data
line 53 col.1 ".08" should read ".8"

.004 units in DATA Section missing
N1 in ENDDATA record to be corrected

.009 +EN-RES-ERR, -EN-RES-ERR, see page 2 of this memo
line 11 col.3 invalid data

40344.001 in COMMON replace "EN" by "EN-NRM"

.004 Iso-quant unit must not be broken onto continuation
record. Better coding would probably be

((30-ZN-68,NG,,MS)/
(30-ZN-68,NG))

40364.002 line 15 col.2 invalid data

.003 NOCOMMON misspelt

40386.002 SUBENT misspelt

40426.002 in COMMON replace "EN" by "EN-NRM"
all DATA lines decimal point missing

.003 in COMMON replace "EN" by "EN-NRM"

.004 ENDBIB record missing
column-heading line misplaced
wrong unit line to be omitted

40432.002 comma in ISO-QUANT code missing
line 1069 col.1 invalid data

.005 ISO-QUANT pointer 3 wrong quantity code

.006 ISO-QUANT pointer 1 wrong quantity code

.007 units in DATA Section missing
N1 in ENDDATA record to be corrected

40433.001 BIBrecord between ENTRY and SUBENT records to be deleted

.002 wrong ISO-QUANT code

.004 wrong ISO-QUANT code

.006 wrong ISO-QUANT code

.008 wrong ISO-QUANT code

.010 wrong ISO-QUANT code

.011 N1 and N2 in BIB record wrong

.012 wrong ISO-QUANT code

.013 N1 and N2 in DATA record wrong

Many entries: In reference dates the month code 00 is invalid.

Some less serious errors which were noticed repeatedly:

Discontinuation in the independent variable column. This may indicate either misplacing of a line or a punching error.

Ref-date of conference proceedings should be date of the conference, not date of the publication.

Under ISO-QUANT, only codes should be given and not their expansions.