Memo 4C-3/287

5 November 1985

To:

Distribution

Otto Schwerer O plumer

Subject: TRANS 1197, 4059

Please find enclosed our comments on TRANS 1197 and 4059.

Distribution:

1. Sol Pearlstein, NNDC

2. N. Tubbs, NEA-DB

4. V.N. Manokhin, CJD

NDS: D.E. Cullen

D. Gandarias Cruz

V. Goulo

M. Lammer

H.D. Lemmel

K. Okamoto

M. Oshomuvwe

J.J. Schmidt

O. Schwerer

M. Seits

Comments on TRANS 1197

Subent	Line	
7	3	SF4 missing
2	4	delete 'MASS' in MONITOR code (not used in DATA section)
3	6 .	SF4 missing
3	9	repetition of ANG not legal, use ANG-MIN, ANG-MAX
4	39	data value in wrong position
2 3	10) 14)	EN-MAX should read E-MAX
	7 2 3 3 4 2	7 3 2 4 3 6 3 9 4 39 2 10)

Comments on TRANS 4059

Entry	Subent	Line	
40410	2,3		Delete EN-MAX from COMMON section (over specification because EN-RES given in DATA section)
40591			Move EN-MIN and EN-MAX from COMMON section of subentry 1 to subentry 4 because in the other subentries resonance energy is given
40667	1	4	Remove '(' in col. 12
40669	2-5	3	REACTION: add 'FF' to SF7 (, DA, FF, RSD)
(40720-40	724		It is not clear to us why these 5 entries are not combined in 1 entry.)
40724	2		4 energy values are repeated with insignificant cross section differences. Why?
40746	2		Delete EN-MIN, EN-MAX from COMMON section, because resonance energy given under REACTION 1.
	4	7–11	ENDSUBENT record: col.74 must be '4'
40843	2 2-5*)	3	col.33: ')' should be ',' 'Spectrum average' not defined. Explain using keyword INC-SPECT and heading EN-MEAN (or EN-DUMMY) or delete modifier SPA.

40845 ^{*)}			
40043 /	6-9		illegal use of multiple reaction
			formalism. Total, elastic and
			inelastic cross-sections must be coded
			in separate subentries.
40846*)	1		
40040	1		EN-MIN, EN-MAX must be moved to
			subentries 3 and 5
	3		
	3		REACTION 2: level density parameter LDP
			has to be coded with the compound
			nucleus in SF1 (see Lexfor "Nuclear
			Quantities"), i.e. in this case
			65-TB-160(0,0),,LDP). Separate subentry
			needed for LDP.
	5		REACTION 2: 65-TB-160(0,0),,LDP given;
			should perhaps be TB-161(0,0),,LDP?
			Separate subentry is needed anyhow,
			because "nuclear quantity" LDP should
			not be coded in same subentry with
			resonance parameters.
			resonance parameters.
40847	2	3	col.29: ')' should be '.'
			oolies. / Should be ,
40850	2		delete EN-MIN, EN-MAX from COMMON
			section
	6	5	,,WID/RED,,AV/2G should be
		<u> </u>	WID/DED 20/AV (1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
			,,WID/RED,,2G/AV ('general' modifiers
		8	like AV must be in last position)
		•	N1= <u>5</u>
40854	1		Parallel 1 2 may be asset to
	•		Probably EN=3 MEV should be added to
			COMMON section (no EN given in this
	2-4		entry)
	2-4	3	delete 'PAR' from SF5
40855	1		
	•	6	REFERENCE code has too many subfields.
			Probably one '15' subfield should be
		•	deleted
40857	2		
70077	2 3	3,5	delete 'PAR' from SF5
	3	3	, SIG, , AV/RTE should be
			, SIG, , RTE/AV

^{*)} Retransmission requested